

2022 DRINKING WATER CONSUMER CONFIDENCE REPORT BAZETTA/CHAMPION PUBLIC WATER SYSTEM OH7804303

INTRODUCTION

Trumbull County had a current, unconditioned license to operate this Public Water System in 2022. Trumbull County has prepared the following report to provide information to you, the consumer, on the quality of our drinking water. This report was required as part of the Safe Drinking Water Act Re-authorization of 1996 and is required to be delivered to the consumer by July 1, 2023. Included in this report is general health information, water quality test results, how to participate in decisions concerning your drinking water and water system contacts.

Trumbull County Bazetta/Champion Public Water System obtains its source water from the City of Warren, which draws from Mosquito Creek Reservoir. Mosquito Creek Reservoir is considered a surface water source and requires extensive treatment before it can be used as drinking water.

WATER SOURCE ASSESSMENT

For the purposes of source water assessments in Ohio, all surface waters are considered to be susceptible to contamination. By their nature, surface waters are readily accessible and can be contaminated by chemicals and pathogens which may rapidly arrive at the public drinking water intake with little warning or time to prepare.

The City of Warren public water system treats the water to meet drinking water quality standards, but no single treatment technique can address all potential contaminants. The potential for water quality impacts can be further decreased by implementing measures to protect Mosquito Creek Reservoir and its watershed. More detailed information is provided in the City of Warren's Drinking Water Source Assessment Report, which can be obtained by calling the chemist at 330-841-2578.

WHAT ARE SOURCES OF CONTAMINATION TO DRINKING WATER

The sources of drinking water, both tap water and bottled water includes rivers, lakes, streams, ponds, reservoirs, springs, and wells. As the water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, livestock, and wildlife.
- > Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban Strom water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health. Drinking water, including bottled water, may reasonably contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline.

Safe Drinking Water Hotline 1-800-426-4791

BAZETTA / CHAMPION WATER FACTS

In its effort to supply the safest possible product, the City of Warren Public Water System uses chloramines for disinfection of viruses and bacteria. Fluoride is also added to enhance dental protection. The levels of these two additives are monitored daily to ensure proper dosages are being added.

The Bazetta/Champion area receives treated water from the City of Warren through two master meters. One master meter is located on Elm Road, and the other is on Route 45.

On average, the County purchases approximately 17.06 million gallons of water per month from the city for the Bazetta/Champion area. Once through the meter pit, it's distributed through 30 miles of waterline varying in size from 6 through 24 inches in diameter.

The combined service area has 3,128 service connections and services an estimated 7,632 people. A booster station and 200,000 gallon elevated storage tank are located in the Champion half of the system. A new 500,000-gallon tank was constructed and put into operation in November 2009.

The County strives to provide safe and aesthetically pleasing drinking water to its residents as well as many businesses and visitors.

SPECIFIC HEALTH CONCERNS

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV / AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA / CDC guidelines on appropriate means to lessen the risk of an infection by *cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791)

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Trumbull County Bazetta/Champion Public Water System is responsible for providing high quality drinking water, but cannot control the variety of materials used in household plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. A list of laboratories certified in Ohio to test for lead or perform other analyses on public drinking water may be found at www.epa.state.oh.us/ddagw or by calling 614-644-2752. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 800-426-4791 or at https://www.epa.gov/safewater/lead.

REVISED TOTAL COLIFORM RULE (RTCR) INFORMATION

The Consumer Confidence Report (CCR) reflects changes in drinking water regulatory requirements during 2022. All water systems were required to comply with the Total Coliform Rule from 1989 to March 31, 2016, and begin compliance with a new rule, the Revised Total Coliform Rule, on April 1, 2016. The new rule maintains the purpose to protect public health by ensuring the integrity of the drinking water distribution system and monitoring for the presence of total coliform bacteria, which includes E. coli bacteria. The U.S. EPA anticipates greater public health protection under the new rule, as it requires water systems that are vulnerable to microbial contamination to identify and fix problems. As a result, under the new rule there is no longer a maximum contaminant level violation for multiple total coliform detections. Instead, the new rule requires water systems that exceed a specified frequency of total coliform occurrences to conduct an assessment to determine if any significant deficiencies exist. If found, these must be corrected by the PWS.

ABOUT YOUR DRINKING WATER

The EPA requires regular sampling to ensure drinking water safety. The City of Warren (CW) and Trumbull County Sanitary Engineers (TCSE) conducted sampling for bacteria, inorganic, radiological, synthetic organic, and volatile organic contaminants during 2022. Samples were collected for a total of 56 different contaminants, most of which were not detected in the City of Warren's water supply. The Ohio EPA requires the City to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of their data, though accurate, are more than one-year-old.

PFAS SAMPLING

In 2020, The City of Warren Public Water System (our Wholesaler) was sampled as part of the State of Ohio's Drinking Water Per- and Polyfluoroalkyl Substances (PFAS) Sampling Initiative. Results from this sampling indicated PFAS were **NOT** detected in our drinking water. For more information about PFAS, and to view our latest results, please visit pfas.ohio.gov.

PUBLIC PARTICIPATION

The public is encouraged to voice concerns, and learn of decisions regarding their drinking water during weekly meetings of The Trumbull County Board of Commissioners. Meetings are held each Wednesday at 10:30 A.M. in the Commissioner's Hearing Room, on the fifth floor of the County Administration Building at 160 High St. NW, Warren, Ohio, 44481. Occasional changes in meeting location, date or time do occur; please call (330) 675-2451 to confirm. Specific questions may also be directed to Gary Newbrough, Sanitary Engineer, at (330) 675-7753.

CRYTOSPORIDIUM INFORMATION

The City of Warren Public Water System monitored for Cryptosporidium in the source water during 2016 to comply with the Long Term 2 Enhanced Surface Water Treatment Rule (LT2). Cryptosporidium was detected in 1 sample of 3 collected from the raw water. Cryptosporidium is a microbial pathogen found in surface water throughout the U.S. Although filtration removes Cryptosporidium, the most commonly used filtration methods cannot guarantee 100% removal. Monitoring of source water indicates the presence of these organisms. Current test methods do not enable us to determine if the organisms are dead or if they are capable of causing disease. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease. However, immuno-compromised people are at greater risk of developing life threatening illness. We encourage immuno-compromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease and it may be spread through means other than drinking water.

HEALTH EFFECTS LANGUAGE FOR CHLORINE CONTACT TIME VIOLATIONS

The United States Environmental Protection Agency (USEPA) sets drinking water standards and have determined that the presence of microbiological contaminants is a health concern at certain levels of exposure. If water is inadequately treated, microbiological contaminants in that water may cause disease. Disease symptoms may include diarrhea, cramps, nausea, and possibly jaundice, and any associated headaches and fatigue. These symptoms, however, are not just associated with disease-causing organisms in drinking water. USEPA has set enforceable requirements for treating drinking water to reduce the risk of these adverse health effects. Treatment such as filtering and disinfecting the water removes or destroys microbiological contaminants. Drinking water, which is treated to meet USEPA requirements, is associated with little to none of this risk and should be considered safe.

OHIO METER TAMPERING LAW

In accordance with Sections 4933.18, 19, & 99 of the Ohio Revised Code, Trumbull County is required to notify customers annually of the Ohio Meter Tampering Law.

- Tampering is defined as interfering with, damaging or bypassing a meter or service equipment to reduce the amount of water consumption registered on the meter.
- No person shall reconnect a water meter, conduit, or attachment that has been disconnected by a utility without the consent of the utility.

Violators may be sentenced to a maximum of five years in jail, and/or fined up to \$2500. In addition, violators must pay for the value of the water used and the cost of repairs or replacement of equipment.

BACKFLOW PREVENTION TIPS

Educational Information to help you help us keep our drinking water safe!

Why be concerned?

- ALL cross-connections pose a potential health risk.
- Backflow can be a health hazard for your family or other consumers if contaminated water enters your water supply plumbing system and is used for drinking, cooking or bathing.
 - Chemical burns, fires, explosions, poisonings, illness and death have all been caused by backflow through cross-connections.
- Backflow occurs more often than you think.
- You are legally responsible for protecting your water supply plumbing from backflow that may contaminate
 drinking water, either your own or someone else's. This includes complying with the plumbing code and not
 creating cross-connections.

What can I do?

- Be aware of and eliminate cross-connections.
- Maintain air gaps. Do not submerge hoses or place them where they could become submerged.
- Use hose bib vacuum breakers on fixtures (hose connections in the basement, laundry room and outside.)
- Install approved, testable backflow preventers on lawn irrigation systems.
- Do not create a connection between an auxiliary water system (well, cistern, body of water) and the water supply plumbing.

What are some common backflow hazards that threaten the homeowner and other consumers?

- · Hose connections to chemical solution aspirators to feed lawn and shrub herbicides, pesticides or fertilizers.
- Lawn irrigation systems.
- Chemically treated heating systems.
- Hose connections to a water outlet or laundry tub.
- · Swimming pools, hot tubs, spas.
- Private and/or non-potable water supplies located on the property.
- Water-operated sump pump devices.
- Feed lots/livestock holding areas or barnyards fed through pipes or hoses from our water supply plumbing.

What are examples of cross-connection and backflow scenarios?

- Soapy water or other cleaning compounds back siphon into the water supply plumbing through a faucet or hose submerged in a bucket or laundry basin.
- Pool water back siphons into the water supply through a hose submerged in a swimming pool.
- Fertilizers/pesticides back siphon into the water supply plumbing through a garden hose attached to a fertilizer/pesticide sprayer.
- Chemicals/pesticides and animal feces drawn into the water supply plumbing from a lawn irrigation system with submerged nozzles.
- Bacteria/chemicals/additives in a boiler system back siphon into the water supply plumbing.
- Unsafe water pumped from a private well applies backpressure and contaminates the public water supply through a connection between the private well discharge and the potable water supply plumbing.

KEY TO TABLES

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below, which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL): The highest level of contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Action Level (AL): The concentration of a contaminant which, when exceeded, triggers treatment or other requirements which a water system must follow.

ppb: parts per billion, or 1 part in a billion parts.

ppm: parts per million, or 1 part in a million parts.

ug/I: micrograms per liter: or parts per billion, or 1 part in a billion parts.

mg/I: milligrams per liter: or parts per million

BDL: Below detectable limits

TT: Treatment technique: A required process intended to reduce the level of a contaminant in drinking water. "<" This is a mathematical symbol that means "less than" and ">" is a symbol that means "greater than".

nd = not detected at testing limits

TTHMs: Trihalomethanes which are created by the disinfection process of water treatment. Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

HAA5: Haloacetic Acids (5): Contaminant group whose combined MCL is 60 ug/l and is calculated as the sum of the concentrations of the following five acids. Dibromo-acetic, Dichloro-acetic, Monobromo-acetic, Monochloro-acetic, and Trichloro-acetic based on a (RAA) Running Annual Average.

TOC: Total Organic Carbon: The value reported under "Level Found" for Total Organic Carbon is the lowest ratio between percentages of TOC actually removed to the percentage of TOC required to be removed. A value greater than one (1) indicates that the water system is in compliance with TOC removal requirements. A value less than one (1) indicates a violation of the TOC removal requirements.

SHOULD YOU HAVE QUESTIONS OR CONCERNS REGARDING THIS REPORT, DISTRIBUTION, SERVICE, PRESSURE, LEAD AND COPPER SAMPLING RESULTS OR DISCOLORED WATER, CONTACT Gary Newbrough, Sanitary Engineer @ 330-675-7753.

	STATE OF STREET	THE SHAPPED THE	STREET, STREET	I EVE	RANGE OF SAMPLE	SAMPLE	אובא מסי	WATER WOALIT TABLE FOR 2022
WATER CONTAMINANTS	FINS	MCLG	MCL	FOUND	DETECTION	YEAR	YEAR MOLATION	TYPICAL SOURCE OF CONTAMINANT
THE FOLLOWING CONTAMINANTS ARE REPORTED BY OUR WHOLESALER: THE CITY OF WARRI	REPORTED	BY OUR WH	OLESALER: TH	4E CITY OF WAR				
Fluoride	mdd	4	4	1,01	0.80-1.01	2022 CW	QN.	Erosion of natural deposits; Water additive which promotes strong teeth: Discharge from fertilizer and aluminum factories
Nitrate	mdd	10	10	0.25	<0.10-0.25	2022 CW	QN.	Runoff from fertilizer use; Leaching from septic tanks; Erosion of natural deposits
Barium	mdd	2	2	0.013	AN A	2022 CW	9	Discharge of drilling wastes: Discharge from metal refineries: Erosion of natural deposits
Turbidity (1)	ntn	NA	F	0.11	0.02-0.11	2022 CW	ON.	Soil Runoff
Lowest monthly % meeting turbidity limits		AN	F	100%	100%	2022 CW	9	Soil Runoff
Atrazine	qdd	2	2	0.081	AN.	2022 CW	Q.	Runoff from herbicide used on row crops
Toc (2)	шаа	NA	F	96.0	0.84-1.18	2022 CW	Q.	Naturally present in the environment
THE FOLLOWING CONTAMINANTS ARE REPORTED BY: TRUMBULL COUNTY (TCSE)	REPORTED	BY: TRUMBI	ULL COUNTY (TCSE)				
HAA-Halo Acetic Acid HAA5 (3)	ddd	AN	9	33.30 Avg	21.9-36.7	2022 TCSE	ON.	By-product of drinking water chlorination
Trihalo-methanes TTHIM's (3)	qdd	AN	80	61.25 Avg	41.7-69.1	2022 TCSE	ON.	By-product of drinking water chlorination
Lead (4A)	qdd	0	AL=15 ug/l	\$	\$	2020 TCSE	Q.	Corrosion of household plumbing system
Copper (4B)	mdd	1.3	AL=1.3 mg/l	0.023	0.00-0.028 2020 TCSE	2020 TCSE	ON	Corrosion of household plumbing system and leaching from wood preservatives
Total Chlorine Chloramines	шфф	MRDLG=4	MRDL=4	1.56 Avg	1.34-1.72	2022 TCSE	ON ON	Water additive used to control microbes
Asbestos	MFL	7	7	0.062	0.062-0.062 2022 TCSE	2022 TCSE	ON.	Decay of asbestos cement water mains: Erosion of natural deposits
THE FOLLOWING WERE REPORTED BUT NOT REGULATED BY THE EPA	T NOT REG	ULATED BY	THE EPA					
Hd				8.9 Avg		2022 CW	QV.	Messure of the acidity or alkalinity of a solution
HARDNESS	mdd			93 Avg		2022 CW	ON ON	Hardness is caused by compounds of calcium, magnesium, and a variety of other metals. For grains/gal, divide by 17.1

HARDNESS WATER QUALITY TABLE FOOTNOTES

(1) 100% of the samples tested were below the treatment technique level of 0.3 NTU. Turbidity is a measure of the doubliness of the water and is an indication of the effectiveness of our filtration system. The turbidity limit set by the EPA is 0.3 NTO in 95% of the samples are of the water and in the set by the EPA is 0.3 NTO in 95% of the samples are of the filtration system.

In NTO at an impose tested were below the treatment technique is a good indicator of the effectiveness of the filtration system.

In NTO at a primary is a good in the effectiveness of the filtration system.

(2) The value of the samples are of the found in the effectiveness of the effectiveness of the filtration system.

(3) The value of the effectiveness of th

KEY TO TABLE

MCLG = Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLG = Maximum Residual Observer: The highest level of a contaminant that is allowed in drinking water below which there is no known or expected risk holds a seasible using the beats wallable treatment extended or a contaminant that is allowed in drinking water. MLs are seas a close to the MCLGs as 8 teasible using the season of a control microbial contaminants.

MRDLG = Maximum Residual Observer: The injects level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. PPB = Parts per Billion or 7 parts and 18 Billion or 7 parts per Million

BDL = Balow Detectable Limits
The Teacherd Acquired process intended to reduce the level of a contaminant in drinking water.
The Treatment Acquired process intended to reduce the level of a contaminant in drinking water.
The New Teacherd Acquired process of water treatment.
HAMS = This acceptance which are created by the disinfection process of water treatment.
TOC = Total Organic Carbon
TOC = Total Organic Carbon
See Symbol meaning Less shari.

= Symbol meaning "Less shari.

= Symbol meaning "Less shari.